



PEANUT calculations

Here to help you save time to tackle other endeavors!

INDEX OF DIRECTIONS

PAGE 1

- a) Letter and thanks from all of us at Peanut Calculations
- b) Disclaimer information

PAGES 2-6

- a) Directions for the Data Input With Str. # sheet
- b) Directions for the Data Input Your Str. # sheet

PAGE 7 & 8

- a) Directions for Total Concrete With Str. # sheet
- b) Directions for Total Concrete Your Str. # sheet

PAGE 9 & 10

- a) Directions for the Exact Concrete For Billing sheet
- b) Directions for the Exact Concrete For Billing Your Str. # sheet



BY THE WAY HERE'S PEANUT

This program was copyrighted in July 2007. All material in this program are protected under U.S. copyright laws.

TO ALL USERS,

We would like to thank you for your purchase and use of this program and the other programs in this series. We have set a goal at Peanut Calculations to save the person in charge of these job tasks in the field time. Because we know your time is valuable and if you like me there's not enough of it. With a few measurements entered from the project drawings, the calculations for foundation concrete totals for ordering concrete and billing totals are complete and ready to print. You can choose to do an entire project or one structure at a time the choice is yours. If you have any questions or ideas about something you would like to see in this program or others please leave us a message at support@peanutcalculations.com or e-mail me at norman@peanutcalculations.com. We are here to support and help you with this program and your ideas to make your job easier. But please remember these programs have copy rights so please use for your benefit but please don't give unauthorized copies to others. If there is anyway we can support or help please contact us.

THANK YOU
NORMAN S. JAYJOHN
PRESIDENT OF PEANUT CALCULATIONS

PLEASE KEEP ONE COPY OF EACH PROGRAM IN A FILE TO MAKE A COPY FOR EACH PROJECT WORKED.

Disclaimer,

Please double check your input data and finished data to make sure program is working correctly. Peanut Calculations excepts no liability for miss information from our programs.

**DATA INPUT WITH STR. # sheet
&
DATA INPUT YOUR STR. # sheet**

1. The only difference between the Data Input sheets is one has structure numbers consecutively. The other one allows you to enter your own structure numbers. With each data input sheet you have the capabilities of up to seven hundred and fifty structures. You can use this program for a single pole line or a line with two pole and three pole structures. Which ever you need on your projects.

Items to look for and enter in the two types of Data Input sheets

- a) In the Data Input With Your Str. # sheet you need to enter your structure numbers. Data Input With Str. # already has structure numbers from structure 1 to structure 750.
- b) Pick the proper pole position, left, right or middle pole. You can pick any combination of the three types.
- c) Diameter of pole hole being dug in feet.
- d) Depth of pole hole being dug in feet.
- e) Height of reveal to be used above the ground in feet, .5, .75, 1, 3, ect., leave item zero if none
- f) Amount of over burden in yards to cover finishing work, cave ins, ect.

examples of the two types of Data Input sheets to follow

Blank Data Input With Str. #

STRUCTURE NUMBER	1	2	3	4	5	6	7	8	9	10
POLE POSITION, LOOKING TOWARDS HIGH NUMBER STRUCTURES	L	L	L	L	L	L	L	L	L	L
DIAMETER OF HOLE IN FEET	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
DEPTH OF HOLE IN FEET	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
REVEAL HEIGHT ABOVE GROUND LEVEL	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
CUBIC YARDS OF CONCRETE FOR EXACT DIMENSIONS	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
OVER BURDEN OF CONCRETE NEEDED IN CUBIC YARDS	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
CUBIC YARDAGE AMOUNT OF CONCRETE TO ORDER FOR POLE	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
STRUCTURE NUMBER	1	2	3	4	5	6	7	8	9	10
POLE POSITION, LOOKING TOWARDS HIGH NUMBER STRUCTURES	R	R	R	R	R	R	R	R	R	R
DIAMETER OF HOLE IN FEET	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
DEPTH OF HOLE IN FEET	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
REVEAL HEIGHT ABOVE GROUND LEVEL	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
CUBIC YARDS OF CONCRETE FOR EXACT DIMENSIONS	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
OVER BURDEN OF CONCRETE NEEDED IN CUBIC YARDS	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
CUBIC YARDAGE AMOUNT OF CONCRETE TO ORDER FOR POLE	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
STRUCTURE NUMBER	1	2	3	4	5	6	7	8	9	10
POLE POSITION, LOOKING TOWARDS HIGH NUMBER STRUCTURES	M	M	M	M	M	M	M	M	M	M
DIAMETER OF HOLE IN FEET	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
DEPTH OF HOLE IN FEET	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
REVEAL HEIGHT ABOVE GROUND LEVEL	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
CUBIC YARDS OF CONCRETE FOR EXACT DIMENSIONS	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
OVER BURDEN OF CONCRETE NEEDED IN CUBIC YARDS	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
CUBIC YARDAGE AMOUNT OF CONCRETE TO ORDER FOR POLE	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
EXACT STRUCTURE SITE CUBIC YARDAGE OF CONCRETE FOR BILLING	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
CUBIC YARDS OF CONCRETE NEEDED AT EACH STRUCTURE SITE	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

smaller than actual size

These two Data Input sheets are not meant to be printed

Blank Data Input Your Str. #

as you can see all structures have a cell for you to enter your structure number

YOUR STRUCTURE NUMBER										
POLE POSITION, LOOKING TOWARDS HIGH NUMBER STRUCTURES	L	L	L	L	L	L	L	L	L	L
DIAMETER OF HOLE IN FEET	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
DEPTH OF HOLE IN FEET	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
REVEAL HEIGHT ABOVE GROUND LEVEL	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
CUBIC YARDS OF CONCRETE FOR EXACT DIMENSIONS	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
OVER BURDEN OF CONCRETE NEEDED IN CUBIC YARDS	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
CUBIC YARDAGE AMOUNT OF CONCRETE TO ORDER FOR POLE	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
STRUCTURE NUMBER	0	0	0	0	0	0	0	0	0	0
POLE POSITION, LOOKING TOWARDS HIGH NUMBER STRUCTURES	R	R	R	R	R	R	R	R	R	R
DIAMETER OF HOLE IN FEET	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
DEPTH OF HOLE IN FEET	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
REVEAL HEIGHT ABOVE GROUND LEVEL	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
CUBIC YARDS OF CONCRETE FOR EXACT DIMENSIONS	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
OVER BURDEN OF CONCRETE NEEDED IN CUBIC YARDS	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
CUBIC YARDAGE AMOUNT OF CONCRETE TO ORDER FOR POLE	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
STRUCTURE NUMBER	0	0	0	0	0	0	0	0	0	0
POLE POSITION, LOOKING TOWARDS HIGH NUMBER STRUCTURES	M	M	M	M	M	M	M	M	M	M
DIAMETER OF HOLE IN FEET	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
DEPTH OF HOLE IN FEET	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
REVEAL HEIGHT ABOVE GROUND LEVEL	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
CUBIC YARDS OF CONCRETE FOR EXACT DIMENSIONS	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
OVER BURDEN OF CONCRETE NEEDED IN CUBIC YARDS	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
CUBIC YARDAGE AMOUNT OF CONCRETE TO ORDER FOR POLE	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
EXACT STRUCTURE SITE CUBIC YARDAGE OF CONCRETE FOR BILLING	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
CUBIC YARDS OF CONCRETE NEEDED AT EACH STRUCTURE SITE	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

These two Data Input sheets are not meant to be printed

Data Input With Str. # and some information entered

STRUCTURE NUMBER	1	2	3	4	5	6	7	8	9	10
POLE POSITION, LOOKING TOWARDS HIGH NUMBER STRUCTURES	L	L	L	L	L	L	L	L	L	L
DIAMETER OF HOLE IN FEET	7.00	6.00	10.00	8.00	0.00	0.00	0.00	0.00	0.00	0.00
DEPTH OF HOLE IN FEET	28.00	20.00	34.00	26.00	0.00	0.00	0.00	0.00	0.00	0.00
REVEAL HEIGHT ABOVE GROUND LEVEL	3.00	1.00	3.00	2.00	0.00	0.00	0.00	0.00	0.00	0.00
CUBIC YARDS OF CONCRETE FOR EXACT DIMENSIONS	44.19	21.99	107.63	52.13	0.00	0.00	0.00	0.00	0.00	0.00
OVER BURDEN OF CONCRETE NEEDED IN CUBIC YARDS	1.00	1.00	2.00	1.00	0.00	0.00	0.00	0.00	0.00	0.00
CUBIC YARDAGE AMOUNT OF CONCRETE TO ORDER FOR POLE	45.19	22.99	109.63	53.13	0.00	0.00	0.00	0.00	0.00	0.00
STRUCTURE NUMBER	1	2	3	4	5	6	7	8	9	10
POLE POSITION, LOOKING TOWARDS HIGH NUMBER STRUCTURES	R	R	R	R	R	R	R	R	R	R
DIAMETER OF HOLE IN FEET	7.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
DEPTH OF HOLE IN FEET	24.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
REVEAL HEIGHT ABOVE GROUND LEVEL	2.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
CUBIC YARDS OF CONCRETE FOR EXACT DIMENSIONS	37.06	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
OVER BURDEN OF CONCRETE NEEDED IN CUBIC YARDS	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
CUBIC YARDAGE AMOUNT OF CONCRETE TO ORDER FOR POLE	38.06	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
STRUCTURE NUMBER	1	2	3	4	5	6	7	8	9	10
POLE POSITION, LOOKING TOWARDS HIGH NUMBER STRUCTURES	M	M	M	M	M	M	M	M	M	M
DIAMETER OF HOLE IN FEET	7.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
DEPTH OF HOLE IN FEET	28.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
REVEAL HEIGHT ABOVE GROUND LEVEL	3.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
CUBIC YARDS OF CONCRETE FOR EXACT DIMENSIONS	44.19	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
OVER BURDEN OF CONCRETE NEEDED IN CUBIC YARDS	1.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
CUBIC YARDAGE AMOUNT OF CONCRETE TO ORDER FOR POLE	45.19	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
EXACT STRUCTURE SITE CUBIC YARDAGE OF CONCRETE FOR BILLING	125.43	21.99	107.63	52.13	0.00	0.00	0.00	0.00	0.00	0.00
CUBIC YARDS OF CONCRETE NEEDED AT EACH STRUCTURE SITE	128.43	22.99	109.63	53.13	0.00	0.00	0.00	0.00	0.00	0.00

These two Data Input sheets are not meant to be printed

Data Input Your Str. # and some information entered

YOUR STRUCTURE NUMBER	1	1A	2	3	3A	3B				
POLE POSITION, LOOKING TOWARDS HIGH NUMBER STRUCTURES	L	L	L	L	L	L	L	L	L	L
DIAMETER OF HOLE IN FEET	7.00	0.00	0.00	8.00	0.00	0.00	0.00	0.00	0.00	0.00
DEPTH OF HOLE IN FEET	26.00	0.00	0.00	22.00	0.00	0.00	0.00	0.00	0.00	0.00
REVEAL HEIGHT ABOVE GROUND LEVEL	2.00	0.00	0.00	3.00	0.00	0.00	0.00	0.00	0.00	0.00
CUBIC YARDS OF CONCRETE FOR EXACT DIMENSIONS	39.91	0.00	0.00	46.54	0.00	0.00	0.00	0.00	0.00	0.00
OVER BURDEN OF CONCRETE NEEDED IN CUBIC YARDS	1.00	0.00	0.00	1.00	0.00	0.00	0.00	0.00	0.00	0.00
CUBIC YARDAGE AMOUNT OF CONCRETE TO ORDER FOR POLE	40.91	0.00	0.00	47.54	0.00	0.00	0.00	0.00	0.00	0.00
STRUCTURE NUMBER	1	1A	2	3	3A	3B	0	0	0	0
POLE POSITION, LOOKING TOWARDS HIGH NUMBER STRUCTURES	R	R	R	R	R	R	R	R	R	R
DIAMETER OF HOLE IN FEET	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
DEPTH OF HOLE IN FEET	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
REVEAL HEIGHT ABOVE GROUND LEVEL	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
CUBIC YARDS OF CONCRETE FOR EXACT DIMENSIONS	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
OVER BURDEN OF CONCRETE NEEDED IN CUBIC YARDS	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
CUBIC YARDAGE AMOUNT OF CONCRETE TO ORDER FOR POLE	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
STRUCTURE NUMBER	1	1A	2	3	3A	3B	0	0	0	0
POLE POSITION, LOOKING TOWARDS HIGH NUMBER STRUCTURES	M	M	M	M	M	M	M	M	M	M
DIAMETER OF HOLE IN FEET	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
DEPTH OF HOLE IN FEET	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
REVEAL HEIGHT ABOVE GROUND LEVEL	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
CUBIC YARDS OF CONCRETE FOR EXACT DIMENSIONS	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
OVER BURDEN OF CONCRETE NEEDED IN CUBIC YARDS	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
CUBIC YARDAGE AMOUNT OF CONCRETE TO ORDER FOR POLE	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
EXACT STRUCTURE SITE CUBIC YARDAGE OF CONCRETE FOR BILLING	39.91	0.00	0.00	46.54	0.00	0.00	0.00	0.00	0.00	0.00
CUBIC YARDS OF CONCRETE NEEDED AT EACH STRUCTURE SITE	40.91	0.00	0.00	47.54	0.00	0.00	0.00	0.00	0.00	0.00

These two Data Input sheets are not meant to be printed

Total Concrete With Str. # & Total Concrete Your Str. #

1. These are the sheets you need to print for field personnel. Accept for hole cave ins these are the numbers that need to be ordered for each pole and each structure. You can print up to 750 structures or 60 structures per sheet.

example Total Concrete With Str. #

STRUCTURE NUMBER	1	2	3	4	5	6	7	8	9	10
CONCRETE IN CUBIC YARDS NEEDED FOR THE LEFT POLE	45.19	22.99	109.63	53.13	0.00	0.00	0.00	0.00	0.00	0.00
CONCRETE IN CUBIC YARDS NEEDED FOR THE RIGHT POLE	38.06	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
CONCRETE IN CUBIC YARDS NEEDED FOR THE MIDDLE POLE	45.19	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
TOTAL CONCRETE IN CUBIC YARDS NEEDED AT STRUCTURE SITE	128.43	22.99	109.63	53.13	0.00	0.00	0.00	0.00	0.00	0.00

STRUCTURE NUMBER	11	12	13	14	15	16	17	18	19	20
CONCRETE IN CUBIC YARDS NEEDED FOR THE LEFT POLE	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
CONCRETE IN CUBIC YARDS NEEDED FOR THE RIGHT POLE	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
CONCRETE IN CUBIC YARDS NEEDED FOR THE MIDDLE POLE	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
TOTAL CONCRETE IN CUBIC YARDS NEEDED AT STRUCTURE SITE	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

STRUCTURE NUMBER	21	22	23	24	25	26	27	28	29	30
CONCRETE IN CUBIC YARDS NEEDED FOR THE LEFT POLE	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
CONCRETE IN CUBIC YARDS NEEDED FOR THE RIGHT POLE	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
CONCRETE IN CUBIC YARDS NEEDED FOR THE MIDDLE POLE	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
TOTAL CONCRETE IN CUBIC YARDS NEEDED AT STRUCTURE SITE	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

STRUCTURE NUMBER	31	32	33	34	35	36	37	38	39	40
CONCRETE IN CUBIC YARDS NEEDED FOR THE LEFT POLE	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
CONCRETE IN CUBIC YARDS NEEDED FOR THE RIGHT POLE	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
CONCRETE IN CUBIC YARDS NEEDED FOR THE MIDDLE POLE	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
TOTAL CONCRETE IN CUBIC YARDS NEEDED AT STRUCTURE SITE	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

STRUCTURE NUMBER	41	42	43	44	45	46	47	48	49	50
CONCRETE IN CUBIC YARDS NEEDED FOR THE LEFT POLE	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
CONCRETE IN CUBIC YARDS NEEDED FOR THE RIGHT POLE	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
CONCRETE IN CUBIC YARDS NEEDED FOR THE MIDDLE POLE	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
TOTAL CONCRETE IN CUBIC YARDS NEEDED AT STRUCTURE SITE	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

STRUCTURE NUMBER	51	52	53	54	55	56	57	58	59	60
CONCRETE IN CUBIC YARDS NEEDED FOR THE LEFT POLE	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
CONCRETE IN CUBIC YARDS NEEDED FOR THE RIGHT POLE	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
CONCRETE IN CUBIC YARDS NEEDED FOR THE MIDDLE POLE	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
TOTAL CONCRETE IN CUBIC YARDS NEEDED AT STRUCTURE SITE	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

smaller than actual size

example Total Concrete Your Str. #

STRUCTURE NUMBER	1	1A	2	3	3A	3B	0	0	0	0
CONCRETE IN CUBIC YARDS NEEDED FOR THE LEFT POLE	40.91	0.00	0.00	47.54	0.00	0.00	0.00	0.00	0.00	0.00
CONCRETE IN CUBIC YARDS NEEDED FOR THE RIGHT POLE	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
CONCRETE IN CUBIC YARDS NEEDED FOR THE MIDDLE POLE	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
TOTAL CONCRETE IN CUBIC YARDS NEEDED AT STRUCTURE SITE	40.91	0.00	0.00	47.54	0.00	0.00	0.00	0.00	0.00	0.00

STRUCTURE NUMBER	0	0	0	0	0	0	0	0	0	0
CONCRETE IN CUBIC YARDS NEEDED FOR THE LEFT POLE	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
CONCRETE IN CUBIC YARDS NEEDED FOR THE RIGHT POLE	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
CONCRETE IN CUBIC YARDS NEEDED FOR THE MIDDLE POLE	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
TOTAL CONCRETE IN CUBIC YARDS NEEDED AT STRUCTURE SITE	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

STRUCTURE NUMBER	0	0	0	0	0	0	0	0	0	0
CONCRETE IN CUBIC YARDS NEEDED FOR THE LEFT POLE	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
CONCRETE IN CUBIC YARDS NEEDED FOR THE RIGHT POLE	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
CONCRETE IN CUBIC YARDS NEEDED FOR THE MIDDLE POLE	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
TOTAL CONCRETE IN CUBIC YARDS NEEDED AT STRUCTURE SITE	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

STRUCTURE NUMBER	0	0	0	0	0	0	0	0	0	0
CONCRETE IN CUBIC YARDS NEEDED FOR THE LEFT POLE	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
CONCRETE IN CUBIC YARDS NEEDED FOR THE RIGHT POLE	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
CONCRETE IN CUBIC YARDS NEEDED FOR THE MIDDLE POLE	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
TOTAL CONCRETE IN CUBIC YARDS NEEDED AT STRUCTURE SITE	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

STRUCTURE NUMBER	0	0	0	0	0	0	0	0	0	0
CONCRETE IN CUBIC YARDS NEEDED FOR THE LEFT POLE	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
CONCRETE IN CUBIC YARDS NEEDED FOR THE RIGHT POLE	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
CONCRETE IN CUBIC YARDS NEEDED FOR THE MIDDLE POLE	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
TOTAL CONCRETE IN CUBIC YARDS NEEDED AT STRUCTURE SITE	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

STRUCTURE NUMBER	0	0	0	0	0	0	0	0	0	0
CONCRETE IN CUBIC YARDS NEEDED FOR THE LEFT POLE	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
CONCRETE IN CUBIC YARDS NEEDED FOR THE RIGHT POLE	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
CONCRETE IN CUBIC YARDS NEEDED FOR THE MIDDLE POLE	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
TOTAL CONCRETE IN CUBIC YARDS NEEDED AT STRUCTURE SITE	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

smaller than actual size

Exact Concrete For Billing

1. There are two different copies of Exact Concrete For Billing in this program. One with structure numbers and one with the structure numbers you entered into the Data Input Your Str. #. The reason for this sheet is a lot of power companies will only let you bill them for a perfectly bored hole. With this sheet you can check the engineers numbers.

example Exact Concrete For Billing with str. numbers

STRUCTURE NUMBER	1	2	3	4	5	6	7	8	9	10
EXACT CONCRETE IN CUBIC YARDS NEEDED FOR THE LEFT POLE BILLING	44.19	21.99	107.63	52.13	0.00	0.00	0.00	0.00	0.00	0.00
EXACT CONCRETE IN CUBIC YARDS NEEDED FOR THE RIGHT POLE BILLING	37.06	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
EXACT CONCRETE IN CUBIC YARDS NEEDED FOR THE MIDDLE POLE BILLING	44.19	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
EXACT CONCRETE IN CUBIC YARDS NEEDED FOR BILLING STRUCTURE SITE	125.43	21.99	107.63	52.13	0.00	0.00	0.00	0.00	0.00	0.00

STRUCTURE NUMBER	11	12	13	14	15	16	17	18	19	20
EXACT CONCRETE IN CUBIC YARDS NEEDED FOR THE LEFT POLE BILLING	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
EXACT CONCRETE IN CUBIC YARDS NEEDED FOR THE RIGHT POLE BILLING	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
EXACT CONCRETE IN CUBIC YARDS NEEDED FOR THE MIDDLE POLE BILLING	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
EXACT CONCRETE IN CUBIC YARDS NEEDED FOR BILLING STRUCTURE SITE	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

STRUCTURE NUMBER	21	22	23	24	25	26	27	28	29	30
EXACT CONCRETE IN CUBIC YARDS NEEDED FOR THE LEFT POLE BILLING	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
EXACT CONCRETE IN CUBIC YARDS NEEDED FOR THE RIGHT POLE BILLING	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
EXACT CONCRETE IN CUBIC YARDS NEEDED FOR THE MIDDLE POLE BILLING	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
EXACT CONCRETE IN CUBIC YARDS NEEDED FOR BILLING STRUCTURE SITE	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

STRUCTURE NUMBER	31	32	33	34	35	36	37	38	39	40
EXACT CONCRETE IN CUBIC YARDS NEEDED FOR THE LEFT POLE BILLING	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
EXACT CONCRETE IN CUBIC YARDS NEEDED FOR THE RIGHT POLE BILLING	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
EXACT CONCRETE IN CUBIC YARDS NEEDED FOR THE MIDDLE POLE BILLING	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
EXACT CONCRETE IN CUBIC YARDS NEEDED FOR BILLING STRUCTURE SITE	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

STRUCTURE NUMBER	41	42	43	44	45	46	47	48	49	50
EXACT CONCRETE IN CUBIC YARDS NEEDED FOR THE LEFT POLE BILLING	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
EXACT CONCRETE IN CUBIC YARDS NEEDED FOR THE RIGHT POLE BILLING	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
EXACT CONCRETE IN CUBIC YARDS NEEDED FOR THE MIDDLE POLE BILLING	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
EXACT CONCRETE IN CUBIC YARDS NEEDED FOR BILLING STRUCTURE SITE	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

STRUCTURE NUMBER	51	52	53	54	55	56	57	58	59	60
EXACT CONCRETE IN CUBIC YARDS NEEDED FOR THE LEFT POLE BILLING	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
EXACT CONCRETE IN CUBIC YARDS NEEDED FOR THE RIGHT POLE BILLING	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
EXACT CONCRETE IN CUBIC YARDS NEEDED FOR THE MIDDLE POLE BILLING	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
EXACT CONCRETE IN CUBIC YARDS NEEDED FOR BILLING STRUCTURE SITE	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

STRUCTURE WITH NO CONCRETE

example Exact Concrete For Billing your str. numbers

STRUCTURE NUMBER	1	1A	2	3	3A	3B	0	0	0	0
CONCRETE IN CUBIC YARDS NEEDED FOR THE LEFT POLE	40.91	0.00	0.00	47.54	0.00	0.00	0.00	0.00	0.00	0.00
CONCRETE IN CUBIC YARDS NEEDED FOR THE RIGHT POLE	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
CONCRETE IN CUBIC YARDS NEEDED FOR THE MIDDLE POLE	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
TOTAL CONCRETE IN CUBIC YARDS NEEDED AT STRUCTURE SITE	40.91	0.00	0.00	47.54	0.00	0.00	0.00	0.00	0.00	0.00

STRUCTURE NUMBER	0	0	0	0	0	0	0	0	0	0
CONCRETE IN CUBIC YARDS NEEDED FOR THE LEFT POLE	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
CONCRETE IN CUBIC YARDS NEEDED FOR THE RIGHT POLE	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
CONCRETE IN CUBIC YARDS NEEDED FOR THE MIDDLE POLE	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
TOTAL CONCRETE IN CUBIC YARDS NEEDED AT STRUCTURE SITE	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

STRUCTURE NUMBER	0	0	0	0	0	0	0	0	0	0
CONCRETE IN CUBIC YARDS NEEDED FOR THE LEFT POLE	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
CONCRETE IN CUBIC YARDS NEEDED FOR THE RIGHT POLE	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
CONCRETE IN CUBIC YARDS NEEDED FOR THE MIDDLE POLE	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
TOTAL CONCRETE IN CUBIC YARDS NEEDED AT STRUCTURE SITE	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

STRUCTURE NUMBER	0	0	0	0	0	0	0	0	0	0
CONCRETE IN CUBIC YARDS NEEDED FOR THE LEFT POLE	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
CONCRETE IN CUBIC YARDS NEEDED FOR THE RIGHT POLE	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
CONCRETE IN CUBIC YARDS NEEDED FOR THE MIDDLE POLE	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
TOTAL CONCRETE IN CUBIC YARDS NEEDED AT STRUCTURE SITE	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

STRUCTURE NUMBER	0	0	0	0	0	0	0	0	0	0
CONCRETE IN CUBIC YARDS NEEDED FOR THE LEFT POLE	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
CONCRETE IN CUBIC YARDS NEEDED FOR THE RIGHT POLE	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
CONCRETE IN CUBIC YARDS NEEDED FOR THE MIDDLE POLE	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
TOTAL CONCRETE IN CUBIC YARDS NEEDED AT STRUCTURE SITE	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

STRUCTURE NUMBER	0	0	0	0	0	0	0	0	0	0
CONCRETE IN CUBIC YARDS NEEDED FOR THE LEFT POLE	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
CONCRETE IN CUBIC YARDS NEEDED FOR THE RIGHT POLE	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
CONCRETE IN CUBIC YARDS NEEDED FOR THE MIDDLE POLE	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
TOTAL CONCRETE IN CUBIC YARDS NEEDED AT STRUCTURE SITE	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

smaller than actual